

RESOURCE ADDITION

<u>HOLE-ID</u>	<u>FROM</u>	<u>TO</u>	<u>LENGTH</u> <u>(metres)</u>	<u>AU AVG</u> <u>(g/t Au)</u>	<u>AU CUT TO</u> <u>60g/t Au</u>	<u>INCLUDING</u> <u>(g/t Au/m)</u>	<u>Comment</u>
CL-245-10	36.1	37.85	1.75	3.442			
CL-245-23	108.3	109	0.7	4.583			
CL-245-24	110	111.5	1.5	5.147			
CL-245-24	114.2	116.1	1.9	3.287			
CL-245-25	113.4	114.1	0.7	6.57			
CL-245-25	114.6	115.4	0.8	19.43			
CL-245-25	117.7	121.7	4	4.316		11.63/0.5m	
CL-245-26	140.6	143.3	2.7	8.561		14.99/1.3m	
CL-245-29	163.1	166.6	3.4	2.653		3.456/1.3m	
CL-245-29	170.6	171.35	0.75	4.782			
CL-245-3	55.65	57.8	2.15	3.648			
CL-245-33	153.3	154.75	1.45	3.108			
CL-245-33	171.2	175.6	4.4	3.646		5.365/0.8m	
CL-245-34	117	117.6	0.6	69.85	60.0/0.6m		Visible Gold (VG)
CL-245-37	156.05	157.2	1.15	3.995			
CL-245-37	175.3	179.85	4.55	5.987		11.308/1.5m	
CL-245-37	181.45	184.2	2.75	3.105		6.155/0.8m	
CL-245-37	185.85	188.85	3	7.323		12.843/1.6m	
CL-245-38	198.85	199.8	0.95	2.981			VG
CL-245-38	207.6	212.15	4.55	2.609		3.046/2.95m	
CL-245-39	220.8	221.1	0.3	3.536			
CL-245-39	223.5	225	1.5	5.133			
CL-245-39	233.5	235	1.5	6.033			
CL-245-39	247.1	253	5.9	3.636		6.8/1.4m	
CL-245-40	136	136.85	0.85	5.007			
CL-245-41	154.5	157	2.5	2.831		3.125/1.5m	
CL-245-43	174.95	175.95	1	11.223			
CL-245-44	189.85	193.6	3.75	2.855		6.428/0.95m	
CL-245-45	215.2	216	0.8	16.533			VG
CL-245-51	151.2	154.2	3	6.6		10.4/1.5m	
CL-245-52	182.9	187.1	4.2	3.293		5.43/1.5m	
CL-245-55	201	203.3	2.3	7.511			
CL-245-56	163.55	164.9	1.35	8.467			
CL-245-56	170.3	171.8	1.5	3.7			
CL-245-58	156.4	160	3.6	5.668		15.567/0.75m	
CL-245-64	238.8	242.3	3.5	10.488			VG
CL-245-64	277.3	278.5	1.2	7.077			

RESOURCE INFILL

<u>HOLE-ID</u>	<u>FROM</u>	<u>TO</u>	<u>LENGTH</u>	<u>AU_AVG</u>	<u>AU CUT</u> <u>TO 60gpt</u>	<u>INCLUDING (gpt/m)</u>
CL-245-15	102.7	104.4	1.7	4.297		10.388/0.4m
CL-245-17	86.9	88.3	1.4	14.613		
CL-245-19	85.4	86.4	1	11.573		
CL-245-19	101	102	1	16.347	14.174	70.865/0.2m uncut; 60/0.2m cut
CL-245-21	81.15	83	1.85	24.087	16.651	90.567/0.45m uncut; 60/0.45m cut VG
CL-245-22	127.6	129.5	1.9	2.999		4.163/1.1m
CL-245-48	117	117.75	0.75	3.519		
CL-245-49	133.5	134.65	1.15	4.148		

Note: Interval widths reported are drill intercept widths and not true widths.

Note – Bolded assay intervals greater than 15g/t Au*metres